## Mobility on a street network

Bernadette, Christoph, Claire, Florent, Juste, Nicolas

July 24, 2013





### Table of contents

Introduction

Model description

Results

Sensitivity analysis

Conclusion



### Context

- Mr Rainbow died before he could access the hospital, stuck in the trafic jam
- He donated all his fortune to improve the transport in his city (just in time!)
- We were in charge of finding a model to build solutions to avoid those kinds of tragedies




Figure 1.1 : Mr Rainbow right before his heart attack

# Research question

How could we build a model to help Mr Rainbow and all the inhabibitants of Too-Loose city to have less congestion?









## **Objectives**

- Build the road network of the city
- Make individuals choose a mode of transport according to their destination
- Make individuals move on the network according to their schedule
- Visualize different solutions for transport network



Figure 1.2: Decision process

# **Existing Networks**




Figure 2.1: Roads and public transport network



### Alternative Networks




Figure 2.2: New bus line

Figure 2.3 : New tramway line



# **Agents Creation**

- 3 kinds of agents
  - students (turtles)
  - workers (sheeps)
  - inactives (fish)
- Some of them own cars
  - 10% of students
  - 70% of workers
  - 20% of inactives



Figure 2.4: Agents



# **Agents Creation**

- Agents are dispatched on the map according to residential areas
- Cars are distributed by the same means taking into acount where agents live



Figure 2.5 : Cars distribution and density in city (the ligther, the less)



# Agents Schedule





Figure 2.6: Schedules according to the agents activity



# **Agents Decision Process**



## Agents Deplacement




Figure 2.8 : The 3 possible paths known by agents



# Evaluating the model and comparing several configurations

### Simple indicators

- Congestion rate per edge
- Travel time of agents
- Share of agents using public transportations

## Graph based indicator

Study the correlation between congestion and betweenness edge centrality

#### District indicators

K-means to split the city in several districts

- Average congestion per cluster
- Standard deviation of congestion between clusters





# Graph based indicator




Figure 3.1: Correlation between congestion and centrality betweenness



### Results: Demonstration

See netlogo file.



## Sensitivity analysis: Demonstration




Figure 4.1: Number of route changes according to individual tolerance to congestion

## Sensitivity analysis: Demonstration




Figure 4.2: Preliminary work for calibration



### Influence of ratio between workers and students




Figure 4.3 : Congestions day




Figure 4.4: Transportation shares



## Answer to the research question




Figure 4.5 : Congestion



Figure 4.6 : Change in congestion



### Answer to the research question




Figure 4.7: Public transportation share



Figure 4.8 : Change in public transportation share





### Conclusion

- Mr Rainbow didn't die for nothing
- It has been a learning process for us !

#### Introduce bus:

- Increases public transport share in morning rush hour
- Reduces users in evening (!)
- Increases congestion (!)

#### Introduce tram:

Fluctuations throughout the day with overall increase in congestion



Figure 5.1 : Confused Too-Loose's mayor



### What's next?

- Finish debugging (!)
- Use the model to consider the impact of land use change on traffic congestion
- Consider impacts on air quality, noise, achieving environmental targets
- Deeper analysis is tram taking commuters from cars or those travelling on foot?



Figure 5.2 : Ideas of future

# Do you have questions?





